Material Safety Data Sheet

MSDS0006 Page 1 of 4

Revision Date: July 2008

Section 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:

Epoxy Adhesive Coreactant

Product Number:

1 pack:ResinHardnerforPCBRepKit2gm

DISTRIBUTOR:

Best, Inc

3603 Edison Place, Rolling Meadows, IL 60008 PHONE: 847-797-9250, FAX: 847-797-9255

Emergency Response 24-Hour Telephone: Best, Inc 847-797-9250

Section 2. COMPOSITION, INFORMATION OR INGREDIENTS

CHEMICAL

C.A.S. Number _000111-40-0_

Weight % __10-30__

Diethylene triamine

Other ingredients (if any) per OSHA 1910.1200 (g)(2)(i)(c)(1) which may compose less than 1% of the composition, and/or which are nonhazardous

or not listed on the Massachusetts Hazardous Substance List.

NA

70-90

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

Exposure Limits 8 Hours TWA (PPM)

OSHA PEL

ACGIH TLV Ingestion LD50 (rats)

Dermal LD50

Diethylene triamine

NA

_4.2mg/M3 ___>500mg/kg_

_1400mg/kg___

(1ppm)

Section 3. HAZARD IDENTIFICATION

Emergency Overview: Potential Health Effects:

GENERAL:

Eye or mouth contact may cause serious burns; material is also a strong sensitizer.

NOTE 1:

For Industrial Use Only: WARNING: May cause sensitization, irritation, or other allergic

responses. Avoid eye and skin contact and prolonged inhalation of vapors.

Routes of entry:

Skin, eyes and inhalation.

None of the ingredients in this product are known carcinogens, mutagens, neurotoxins or teratogens.

Section 4. FIRST AID MEASURES

INHALATION:

Remove to fresh air.

EYE CONTACT:

Flush with water, get medical attention.

SKIN CONTACT:

Wash with soap and water; remove contaminated clothing.

INGESTION:

No known antidote but give milk or water; DO NOT induce vomiting if swallowed; get medical

attention.

UEL: NA

Section 5. FIRE-FIGHTING MEASURES

Flash Point & Method:

>200°F (setaflash)

Flammable Limits:

LEL: NA NA

Autoignition Temperature: GENERAL HAZARD:

Toxic gases may be liberated; handle as combustible; store in a cool

FIRE FIGHTING INSTRUCTIONS:

Avoid breathing smoke. Addition of water may reduce flame intensity.

HAZARDOUS COMBUSTION PROD.:

NA

FLAMMABLE PROPERTIES:

NA

EXTINGUISHING MEDIA:

Dry chemicals, chemical foam, carbon dioxide, water.

Section 6. ACCIDENTAL RELEASE MEASURES LAND SPILL: Prevent skin and eye contact. Soak up absorbent material, or scrape up, and transfer to disposal container. Wipe up remaining residue with solvents, observing solvent flammability cautions, or use detergents.			
NEUTRALIZING AGENT: NA	4		e detergents.
Section 7. HANDLING AND STORAGE TEMPERATURE: STORAGE PRESSURE: GENERAL:	STORAGE Ambient Atmospheric Store in a cool place in a	closed (
Section 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION Engineering Controls: (X) Local Exhaust ventilation is recommended. (X) Mechanical ventilation recommended. () Use explosion proof ventilation equipment. () Do not use in confined spaces without mechanical ventilation equipment. See section 2 for component exposure guidelines.			
HAND PROTECTION: (X EYE PROTECTION: (U	r supplied or organic canis) Protective Gloves Requuse one of the following)) Safety Glasses	ired	sk in confined areas. emical Goggles
OTHER RECOMMEND.: (U	se all of the following) () Eye Bath	(X) Sat	fety Shower
Section 9. PHYSICAL AND CHEMICAL PROPERTIES			
Density. Boiling Point Freezing Point Vapor Density (Air = 1) Solubility in Water Molecular Weight Non-Exempt VOC (g/L)	. 1.1 g/ml . >300°F . NA . >2 . Partial NA	% \ % S Eva Vis Phy Ode	Volatile By Volume <1
Appearance: Clear, light ambe	r liquid = = = = = = = = = = = = =	Va ₁	oor Pressure(mmHg)
Section 10. STABILITY AND REACTIVITY GENERAL: INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID:		Stable. Avoid contact with metals corroded by liquid amines and high temperatures. Avoid chlorinated compounds; exotherms when used to cure epoxy resin. Incompatible with strong acids and bases and strong oxidizing agents.	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: HAZARDOUS POLYMERIZATION:		CO, CO ₂ , aldehydes, phenol. Will not occur.	
Section 11. TOXICOLOGICAL INFORMATION RESULTS OF COMPONENT TOXICITY TEST PERFORMED: Information not available. HUMAN EXPERIENCE: Information not available.			
Section 12. ECOLOGICAL IN FURTHER INFORMATION:			Information not available.

Section 13. DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 Classification:

Federal, State, and Local laws governing disposal of materials can differ. Ensure proper disposal compliance with proper authorities before disposal.

WASTE DISPOSAL METHOD: Dispose of hazardous waste according to local, state and federal regulations. Disposal method can be land burial or chemical.

Section 14. TRANSPORT INFORMATION

DOT, IATA, ICAO, and IMO Description:

Basic Description:
NA
Proper Shipping Name:
NA
Hazard Class:
NA
Packaging Group:
NA
UN Number:
NA
Label Requirements:
NA
May Shippablo Oty:
NA

Max. Shippable Qty.: NA
Packaging: NA
Reportable Quantity (RQ): NA
1996 NAERG Guide#: NA
Limitations: NA

Section 15. REGULATORY INFORMATION UNITED STATES FEDERAL REGULATIONS:

MSDS complies with OSHA's Hazard Communication Rule, 29 CFR 1910.1200.

CERCLA/SUPERFUND, 40 CFR 117, 302:

--- None of the chemicals are Superfund hazards ---

SARA SUPERFUND AND REAUTHORIZATION ACT OF 1986 TITLE III Sections 302, 311, 312 and 313:

Section 302 - Extremely hazardous substances (40 CFR 355)

--- None of the chemicals are Section 302 hazards ---

Section 311/312 - Material Safety Data Sheet Requirements (40 CFR 370)

- () By our hazard evaluation, this product is non-hazardous
- (X) By our hazard evaluation, this product is hazardous. It should be reported under the following EPA hazard:
 - (X) Immediate (acute) health hazard
 - (X) Delayed (chronic) chronic health hazard
 - () Sudden release of pressure hazard
 - () Reactive Hazard

Section 313 - List of Toxic Chemicals (40 CFC 372)

This product contains the following chemicals (at levels of 1% or greater) which are found on the 313 list of Toxic Chemicals

CHEMICAL

C.A.S. Number

Weight %

TOXIC SUBSTANCE CONTROL ACT (TSCA): All substances are TSCA Listed.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA 40 CFR 261) Subpart C&D:

Refer to Section 11. for RCRA classification.

Material Safety Data Sheet

MSDS0006 Page 4 of 4

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 (FORMERLY SECTION 307), 40 CFR 116 (FORMERLY SECTION 311)

This product contains the following chemicals which are listed:

CHEMICAL

C.A.S. Number

Weight %

CLEAN AIR ACT: --- No Information ---

STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

This product contains the following ingredients which appear on the California proposition 65 list: CHEMI-

C.A.S. Number

Weight %

INTERNATIONAL REGULATIONS:

CANADA WHIMS:

NA

EUROPE EINECS NUMBERS:

NA

Section 16. OTHER INFORMATION

LABEL INFORMATION:

European risk and Safety Phrases: NA European Symbols Needed:

NA

Canadian WHIMS Symbols:

NA

NFPA HAZARD RATING:

(1) Flammability

(2) Health

(0) Reactivity

REVISION DATES, SECTIONS, REVISED BY:

08-OCTOBER-98, J. FORBES

ABBREVIATIONS USED IN THIS DOCUMENT:

NE - Not Established, NA - Not Applicable/Not Available, NIF - No Information Found

REFERENCES:

Code of Federal Regulations (CFR)

The Sigma-Aldrich Library of Regulatory and Safety Data

Chemical Guide and OSHA Hazard Communication Standard

Various Federal, State & Local Regulations

To the best of our knowledge, the information contained herein is accurate. However, neither Best, Inc. nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.